



Wirral Council
Public Health
Marriss House
Hamilton Street
Birkenhead
CH41 5AL

Wirral's Health & Wellbeing Board response to correspondence received from NHS England related to Wirral's Pharmaceutical Need Assessment

Date Pharmaceutical Needs Assessment published: 20th March 2018

Date of Issue of Supplementary Statement: 26th February 2020

Supplementary Statement Number: 62

Type of change: Change of Ownership

Details:

Please note that with effect from 17th January 2020 the pharmacy at 205/207 Hoylake Road, Moreton, Wirral, Merseyside, CH46 0SJ will be operated by Enimed Ltd when formerly operated by Manichem Ltd from the same address.

Contractor details:

- Enimed Ltd T/A Moreton Pharmacy
205/207 Hoylake Road, Moreton, Wirral, Merseyside, CH46 0SJ
- ODS code: FTH62
- Email address: moreton@enimed.co.uk
- Website: www.enimed.co.uk
- Phone number: 0151 677 2344

Opening hours:

- Monday 0830 to 1800
- Tuesday 0830 to 1800
- Wednesday 0830 to 1800
- Thursday 0830 to 1800
- Friday 0830 to 1800
- Saturday 0900 to 1730
- Sunday Closed

This change in hours is effective from: 17th January 2020

It is the view of NHS Cheshire Warrington and Wirral Community Pharmaceutical Contracts Group that this change to the availability of pharmaceutical services is relevant to the granting of applications referred to in the NHS Act 2006 and the Group is satisfied that a revised Pharmaceutical Needs Assessment would be a disproportionate response.

Date of submission: 28th January 2020

This supplementary statement to the NHS Wirral's Pharmaceutical Needs Assessment is issued in accordance with paragraph 3D (3) in Part 1A of the NHS (Pharmaceutical Services) Regulations 2005.

Date completed: 26th February 2020

If you require any further information, please contact John Highton (JSNA Lead – Wirral Intelligence Service, Wirral Council) at johnhighton@wirral.gov.uk

Visit our Pharmaceutical Needs Assessment webpage at <https://www.wirralintelligenceservice.org/this-is-wirral/wirral-pharmaceutical-needs-assessment/>